

Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Decorative/Landscape Stone

### **Section 1: Identification**

**1.1 Product trade names:** Decorative/Landscape Stone: aggregate; gravel; crushed natural and

processed stone combinations; American standard stone; field stone; river stone; rip-rap; other natural landscape stone combinations; boulders;

building or natural veneer products.

1.2 Product Class: Natural and Processed Stone

Product Codes: N/A

CAS/EC Number: Mixture (composition detailed in Section 3)

Intended Use: Similar to that of Construction/Manufacturing Aggregate (refer to separate

County Materials Corporation SDS); however typically subject to more

manual attention and/or manipulation.

### 1.3 Supplier:

County Materials Corp. 205 North St., P.O. Box 100 Marathon, WI 54448-0100

General Information Telephone: (800) 289-2569 Email: <u>riskclaimssafety@countymaterials.com</u>

### 1.4 Emergency telephone:

715-223-7788

### Section 2: Hazard(s) Identification

#### 2.1 Classification:

Carcinogenicity – Category 1A

Specific Target Organ Toxicity (Single Exposure-Respiratory System) – Category 3 Specific Target Organ Toxicity (Repeat Exposure-Respiratory System) – Category 1

#### 2.2 Labeling:

Pictograms:



#### Signal Word: DANGER

## **Hazard Statements**

H335 – May cause respiratory irritation

H351 – Suspected of causing cancer

H372 – Causes damage to the organs (respiratory system) through prolonged or repeated exposure.

#### **Precautionary Statements**

P201 – Obtain special instructions before use.

P202 – Do not handle until all safety precautions have been read and understood.

P261 – Avoid breathing dusts.

P271 – Use only outdoors or in a well-ventilated area.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

P304 + P340 + P312 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

P308 + P313 – IF exposed or concerned: Get medical advice/attention.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Decorative/Landscape Stone

## Section 2: Hazard(s) Identification

**Storage** 

P403 – Store in a well-ventilated place.

P405 – Store locked up.

Disposal

P501 – Dispose of contents in accordance with local/regional/national/international regulations.

2.3 Other Hazards: This product is classified based on the potential for exposure to dust/particulate during mechanical agitation of the product (e.g. cutting, drilling, crushing, or grinding). Exposure may result in acute and chronic health problems. Stone may contain quartz (crystalline silica). Respirable crystalline silica a naturally occurring constituent that may cause cancer. Decorative/Landscape Stone may be subjected to various natural or mechanical processes that may result in airborne concentrations of nuisance dust mixed with respirable crystalline. Prolonged inhalation of crystalline silica (quartz) may cause silicosis or cancer according to IARC and NTP. Other forms of crystalline silica (cristobalite/tridymite) may also be present.

Section 3: Composition/Information on Ingredients							
Chemical Name	EINECS/EC	CAS	Percent	Classification			
Decorative/Landscape Natural Stone (1)			Varies	Specific Target Organ Toxicity (Single Exposure-Respiratory System) – Category 3			
				Specific Target Organ Toxicity (Repeat Exposure-Respiratory System) – Category 1			
Quartz/ Silica Dioxide (Quartz, Sands, Crystalline Silica) <sup>(2)</sup>	231-545-4	14808-60-7	≥0.1%	Carcinogenicity – Category 1A Specific Target Organ Toxicity (Single Exposure-Respiratory System) – Category 3 Specific Target Organ Toxicity (Repeat Exposure-Respiratory System) – Category 1			
Limestone	207-439-9	1317-65-3	Varying	Specific Target Organ Toxicity (Single Exposure-Respiratory System) – Category 3 Specific Target Organ Toxicity (Repeat Exposure-Respiratory System) – Category 1			

<sup>1.</sup> Products are composed of varying stone with naturally-occurring constituents that have been mined. Natural stone composition varies; may contain limestone, granite, guartz, slate and sandstone.

### **Section 4: First-Aid Measures**

#### 4.1 Description of first aid measures:

<u>Inhalation:</u> Dust from mechanical agitation of the product may be inhaled. If breathing is difficult, or if the person is unconscious, see medical attention immediately.

<sup>2.</sup> Composition varies naturally. May contain amorphous and crystalline silica. Crystalline silica is a known carcinogen.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Decorative/Landscape Stone

#### Section 4: First-Aid Measures

<u>Skin Contact</u>: Treat symptomatically. Cuts and abrasions should be cleaned and bandaged. Dust exposed skin should be rinsed with clean potable water. If irritation persists or develops later seek medical attention.

<u>Eye Contact</u>: Rinse eyes thoroughly with potable water for at least 15 minutes and remove contacts lenses if easy to do. Rinse under eyelids to remove any particles. Seek medical attention as necessary.

<u>Ingestion:</u> Although highly improbable, if the person is conscious and aware, give large amounts of water. Never attempt to make an unconscious person drink or vomit. If the person is unconscious it may be necessary to sweep the blockage out of the mouth using a finger. Seek emergency medical attention as necessary.

#### 4.2 Most important symptoms and effects:

<u>Inhalation:</u> Inhalation of dust may cause irritation of the respiratory tract. May cause allergic or asthmalike respiratory reactions if inhaled.

Skin Contact: May cause cuts or abrasions when in contact with skin. Dusts may be irritating.

<u>Eye Contact</u>: Particulates may cause cuts or abrasions when in contact with eyes. Dusts may cause severe irritation, abrasions, redness, tissue destruction and permanent eye damage including blindness.

<u>Ingestion:</u> Expected to be virtually nontoxic. Ingestion of large amounts may cause gastrointestinal irritation, choking/blockage.

4.3 Indication of any immediate medical attention and special treatment needed: See Section 4.1.

### **Section 5: Fire-Fighting Measures**

- **5.1 Extinguishing media:** Product is not flammable.
- **5.2 Special hazards arising from the substance or mixture:** None known.
- **5.3 Advice to firefighters:** Firefighters should wear self-contained breathing apparatus and protective clothing, including eye protection, fire proof gloves, and boots with anti-slip bottoms.

### Section 6: Accidental Release Measures

- **6.1 Personal precautions:** Wear appropriate personal protective equipment (PPE) and clothing during clean-up as recommended in Section 8. Use caution and avoid breathing dust. Wear dust-mask or respirator as necessary and as required. Avoid sweeping spilled product as respirable crystalline silica dust particles may be generated during sweeping.
- **6.2 Environmental precautions:** Product is not an environmental hazard.
- **6.3 Methods and materials for containment and cleaning up:** Collect material with shovel/scoop or vacuum. Avoid sweeping.
- **6.4 Reference to other sections:** Use information obtained throughout this SDS to be fully prepared in case of accidental release.

#### **Section 7: Handling and Storage**

7.1 Precautions for safe handling: Avoid contact with skin, eyes, and clothing. Persons handling the product should wear recommended personal protective equipment (PPE) as noted in Section 8. Wash thoroughly with potable water and mild soap after handling. Avoid breathing dusts. Ensure adequate ventilation (or a respirator should be worn if PELs are exceeded). Water suppression may be used to decrease airborne dust concentration. Use local exhaust or perform activities in well-ventilated areas. Avoid excessive agitation.

Issue Date: 01/05/16 | Revision 1.0 Page 3 of 9



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Decorative/Landscape Stone

#### **Section 4: First-Aid Measures**

- **7.2 Conditions for safe storage, including any incompatibilities:** Avoid incompatible materials such as powerful oxidizing agents like fluorine, boron trifluoride, chlorine trifluoride, manganese trifluoride, and oxygen difluoride they may cause fire and/or explosions.
- 7.3 Specific end uses: See Section 1 for intended uses.

## Section 8: Exposure Controls/Personal Protection

**8.1 Control parameters:** Note the limits shown below are for guidance only. Follow applicable regulations in your jurisdiction.

Substance Name	Source	Exposure Limit
Quartz, Silica	ACGIH	0.025 mg/m <sup>3</sup>
(Crystalline Silica)	OSHA	(30 mg/m³ ÷ (%SiO2+2)) (T)
		(10 mg/m³ ÷ (%SiO2+2)) (R)
	NIOSH	0.05 mg/m³ / 0.025 mg/m³
Calcium Carbonate (limestone	ACGIH	Removed TLV due to insufficient data. Use PNOC for exposure
aggregate)		limit.
	OSHA	15 mg/m³ (T) / 5 mg/m³ (R)
	NIOSH	10 mg/m³ (T) / 5 mg/m³ (R)
Total Dust (or Particulates Not	ACGIH	10 mg/m <sup>3</sup> (IP) / 5 mg/m <sup>3</sup> (R)
Otherwise Classified)	OSHA	15 mg/m³ (T) / 5 mg/m³ (R)
	NIOSH	10 mg/m³ (T) / 5 mg/m³ (R)

- **8.1.1 Currently recommended monitoring procedures:** No recommendations.
- 8.1.2 Exposure guidelines for air contaminants, if any: See Section 8.1
- 8.1.3 DNELS and PNECS for exposure scenarios: Information not available at this time.
- **8.1.4 Control banding for risk management:** Use good industrial hygiene practice, where appropriate PPE and use local ventilation.
- 8.2 Exposure Controls:
- **8.2.1 Appropriate engineering controls:** Use local exhaust ventilation if possible and practical. Ventilation should effectively remove and prevent buildup of any dusts generated from the handling of this product. Water suppression may be used to limit airborne dusts during application or use.
- 8.2.2 Individual protection methods: Use good industrial hygiene practices in handling this material. Eye wash stations should be available. Wash potentially exposed skin thoroughly with potable water and mild soap after use. If irritation or redness occurs treat symptomatically or consult a doctor immediately. Wear gloves, safety glasses and protective clothing. In case of eye contact with debris or dust, flush with plenty of clean, potable water for at least 15 minutes. Remove contacts if present and easy to do so. Seek medical attention as necessary. Avoid dust inhalation and direct contact with skin and eyes. Wash exposed skin before eating, drinking, using the restroom or smoking.

<u>Eye/Face:</u> Use appropriate eye protection: glasses with side shields or googles. Dust googles should be worn during application or use.

<u>Skin:</u> Avoid contact by use of protective clothing and gloves. Wear eye protection. Wash exposed skin thoroughly with potable water and mild soap.

<u>Respiratory:</u> If airborne concentrations exceed applicable exposure limits, use NIOSH-approved respiratory protection.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Decorative/Landscape Stone

## **Section 9: Physical and Chemical Properties**

Physical State: Solid (varying sizes) Color: Varying colors Odor: Odorless **Odor Threshold:** Not applicable **Melting Point:** Not applicable Not applicable **Freezing Point: Initial Boiling Point:** Not applicable Flammability (solid, gas): Not applicable **Lower and Upper Explosion** Not applicable

**Limits/Flammability Limit:** 

Flash Point:

Auto-Ignition Temperature:

Non-flammable
Not applicable
Not evaluated

**pH:** Not-applicable (dust from product in contact with water may

have a caustic pH)

Kinematic Viscosity:

Solubility:

Partition Coefficient:

Vapor Pressure

Density (and/or Relative Density):

Relative Vapor Density:

Particle Characteristics:

Not applicable

Not applicable

Not evaluated

Not applicable

Variable sizes

## **Section 10: Stability and Reactivity**

- **10.1 Reactivity:** May react with incompatible materials: fluorine, boron trifluoride, chlorine trifluoride, manganese trifluoride, and oxygen difluoride.
- 10.2 Chemical stability: Stable
- **10.3 Possibility of hazardous reactions:** Avoid incompatible materials such as powerful oxidizing agents like fluorine, boron trifluoride, chlorine trifluoride, manganese trifluoride, and oxygen difluoride they may cause fire and/or explosions. Silica dissolves readily in hydrofluoric acid producing a corrosive gas, silicon tetrafluoride. Avoid dust created by agitation. Calcium carbonate is incompatible with acids, alum, ammonium salts, mercury, hydrogen, fluorine, and magnesium.
- **10.4 Conditions to avoid:** Avoid excessive agitation which may generate dust levels above permissible exposure limits.
- **10.5 Incompatible materials:** Incompatible materials possible hazardous reactions are detailed in Section 10.3.
- **10.6 Hazardous decomposition or byproducts:** Decomposition through thermal oxidation of limestone can produce lime. Hazardous polymerization will not occur.

## **Section 11: Toxicological Information**

11.1 Information on toxicological effects:

#### **Acute Exposure and Symptoms:**

<u>Inhalation:</u> Dust may cause irritation of the respiratory tract. May cause allergic or asthma-like respiratory reactions if inhaled.

Skin Contact: May cause cuts or abrasions when in contact with skin. Dusts may be irritating.



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Decorative/Landscape Stone

## Section 11: Toxicological Information

<u>Eye Contact</u>: Particulates may cause cuts or abrasions when in contact with eyes. Dusts may cause severe irritation, abrasions, redness, tissue destruction and permanent eye damage including blindness.

<u>Ingestion:</u> Expected to be virtually nontoxic. Ingestion of large amounts may cause gastrointestinal irritation, choking/blockage.

### **Chronic Exposure:**

Prolonged inhalation of dusts may cause damage to the respiratory tract. Repeated inhalation of high levels of dusts, especially respirable crystalline silica (quartz, cristobalite, tridymite) for periods as short as six months may cause acute silicosis, a rapidly progressive, incurable lung disease that may be fatal. Not all individuals with silicosis will exhibit symptoms (signs) of the disease. However, silicosis can be progressive, and symptoms can appear at any time, even years after exposure has ceased. Symptoms of silicosis may include, but are not limited to, the following: shortness of breath; difficulty breathing with or without exertion; coughing; diminished work capacity; diminished chest expansion; reduction of lung volume; right heart enlargement and/or failure. Smoking may increase the risk of developing lung disorders, including emphysema and lung cancer. Persons with silicosis have an increased risk of pulmonary tuberculosis.

Several studies of persons with silicosis also indicate an increased risk of developing lung cancer, a risk that increases with the duration of exposure. Many of these studies do not account for confounding variables for lung cancer, especially smoking.

#### **Acute and Chronic Toxicity**

Component Analysis: LD50/LC50 for exposure to particulate forms of the product's components.

Calcium Carbonate (1317-65-3): No data available

Silica, Quartz (Crystalline, Silica) (14808-60-7): LD<sub>50</sub> oral rat >500 mg/kg.

#### **Component Carcinogenicity**

Decorative/landscape natural stone is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA), The American Conference of Governmental Industrial Hygienists (ACGIH), or the State of California. In October 1996, an IARC Working Group re-assessing crystalline silica, a component of this product, designated crystalline silica as a carcinogen (Group 1). The NTP, ACGIH, and the State of California have listed crystalline silica (respirable size) as a known human carcinogen. This information is based on sufficient evidence of carcinogenicity in certain experimental animals and on selected epidemiological studies of workers exposed to crystalline silica.

Substance Name	IARC	NTP	ACGIH	OSHA	NIOSH	Cal. Prop. 65
Silica, Quartz (Crystalline, Silica) (14808-60-7)	G1	G2	A2	GS	Listed	YES (6)
Calcium Carbonate (1317-65-3)						

- 1. "--" Not Listed
- 2. OSHA Group S: OSHA Select Carcinogen
- 3. IARC Group 1: Carcinogenic to humans
- 4. NTP Group 2: Reasonably Anticipated to be Human Carcinogens (R)
- 5. ACGIH -A2: Suspected Human Carcinogen
- 6. California Prop. 65 Components: WARNING! This product contains a chemical known to the State of California to cause Cancer: Crystalline Silica.

### Specific Target Organ Toxicity Single/Repeat Exposure – Respiratory System

Inhalation of high concentrations of dust may be a respiratory system irritant. Inhalation of high levels of dusts especially respirable crystalline silica (quartz, cristobalite, tridymite), for periods as short as six months have been known to cause acute silicosis. Silicosis is a rapidly progressive, incurable lung



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Decorative/Landscape Stone

## **Section 11: Toxicological Information**

disease that may be fatal. Symptoms of silicosis may include, but are not limited to, the following: shortness of breath; difficulty breathing with or without exertion; coughing; diminished work capacity; diminished chest expansion; reduction of lung volume; right heart enlargement and/or failure.

#### **Skin Sensitizer**

Not expected to be a skin sensitizer.

## Section 12: Ecological Information (non-mandatory)

#### 12.1 Ecotoxicity:

**General Product Information:** Product when used as intended is not hazardous to the environment. **Component Analysis - Ecotoxicity:** No ecotoxicity data are available for this product's components. **Environmental Fate:** No information available for the product.

## Section 13: Disposal Considerations (non-mandatory)

#### 13.1 Waste treatment methods:

**General Product Information:** Whatever cannot be saved or recovered for recycling should be disposed of according to state and local regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

### Section 14: Tranport Information (non-mandatory)

US DOT Information IMDG IATA

Not Regulated Not Regulated Not Regulated

### Section 15: Regulatory Information (non-mandatory)

#### 15.1 Safety, health, and environmental regulation:

#### **US Federal Regulations**

General Product Information: All components are on the U.S. EPA TSCA Inventory List.

Component Analysis: Components of this product are not listed as hazardous under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

## SARA 311/312 Tier II Hazard Ratings: Crystalline Silica

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Reactivity Hazard	Sudden Release of Pressure
Yes	Yes	No	No	No

#### **State Regulations**

General Product Information: Other state regulations may apply. Check individual state requirements

**California Prop. 65 Components:** WARNING! This product contains a chemical known to the State of California to cause Cancer: Crystalline Silica

Issue Date: 01/05/16 | Revision 1.0 Page 7 of 9



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Decorative/Landscape Stone

## **Section 15: Regulatory Information (non-mandatory)**

#### **Component Analysis – WHMISIDL:**

Component	EINECS/EC	CAS	Minimum Concentration
Silica, Quartz (Crystalline, Silica)	231-545-4	14808-60-7	1%

#### **Additional Regulatory Information**

General Product Information: No additional information available.

Component Analysis – Inventory:

Component	EINECS/EC	CAS	TSCA	CAN	EC
Calcium Carbonate	207-439-9	1317-65-3	Yes	DSL	EINECS
Silica, Quartz (Crystalline, Silica)	231-545-4	14808-60-7	Yes	DSL	EINECS

## **Section 16: Other Information**

#### Other Information

**Disclaimer:** Supplier gives no warranty of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser will make his own tests to determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental and/or consequential property damage arising out of the use of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights. Read the Safety Data Sheet before handling product.

### **Key to Abbreviations and Acronyms:**

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CLP: Classification, Labelling, and Packaging

DNEL: Derived no effect level

DSL: Canada's Domestic Substances List

EC: European Community

EEC: European Economic Community

EINECS: European Inventory of Existing Commercial Chemical Substances

EPA: Environmental Protection Agency

EU: European Union

GHS Globally Harmonized System of classification and labelling of chemicals

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association

ATA-DGR: Dangerous Goods Regulations by the International Air Transport Association

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the International Civil Aviation Organization (ICAO)

IMDG: International Maritime Code for Dangerous Goods

IP: Inhalable Particles

LC50: Lethal concentration in air fatal to 50 percent of test animals LD50: Lethal dose by mouth or other route to 50 percent of test animals

LDLo: Lowest lethal dose

NIOSH: National Institute for Occupational Safety and Health

NJTSR: New Jersey Trade Secret Registry

NOEC: No observed effects



Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Decorative/Landscape Stone

## **Section 16: Other Information**

NOS: Not Otherwise Specified NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration (USA)

PNEC: Predicted no effect concentration

PPM: Parts per million R: Respirable Particles

RID: Regulations Concerning the International Transport of Goods by Rail

STEL: Short term exposure limit

T: Total Dust

TLV: Threshold Limit Value
TSCA: Toxic Substance Control Act
TWA: Time weighted average

Issue Date: 01/05/16 | Revision 1.0 Page 9 of 9

<sup>\*\*</sup> This is the end of SDS - Decorative/Landscape Stone \*\*